

LIBERTY FLEX



PLUG-IN MULTIDECK CASE

LIBERTY FLEX



High Efficiency
Inverter compressor



Standard Power
Reliable operation



Temperature Range
2 ~ 8°C



Smart Control
Digital controller



Climate Type
Off-cycle defrost




More Capacity
345 L – 1.68 m²



Energy Efficient
R290 refrigerant



Tropical Ready
High Temp & Humidity



TEMPERATURE
RANGE

2 ~ 8°C

WIDTH
(mm)

1250

HEIGHT
(mm)

1030

DEPTH
(mm)

1280

DISPLAY AREA

1,68 m²

RATED
CURRENT

5,4 A

NET WEIGHT

135 kg

REFRIGERANT

R290



LIBERTY FLEX

Type	Transparent Semi multideck case
External dimensions(mm) Not include end panel	1250*1030*1280
Back and End panel	Tempered glass
Temperature range(C°)	2~8°
Effective Volume(L)	345
Net weight(Kg)	135
Front height(mm)	612
Shlef qty and dim	250*1170 +350*1170
Night curtain	No
Package dim(mm)	1350*1130*1480
Gross weight(Kg)	1800
Compressor	Embraco Inverter,FMFT415U
Refrigerant	R290
Evaporators	Copper Tube with aluminum fins
Temperature controller	Digital Temperature Controller
Defrost	Off-Cycle defrost
Evap Temp	-8
Power supply	220V 50/60Hz
LED Lamp	No LED
Evaporating fan	19W*3
Anti Sweat(W)	N/A
Defrost(W)	N/A
PTC Evapraring heater	Optional
Rated current(A)	5,4
Input Power(W)	1180

NOMENCLATURE

LIBERTY						
A	1	MT	12	L	2	P
DEPTH (mm)	SHELVES	CATEGORY	LENGTH	HEIGHT	REFRIGERANT	MODULE
A = 1030	1 2	MT	12 = 1250	L = 1280	1 = R404 2 = R290	P = Plug in

