

LIBERTY DELI



PLUG-IN MULTIDECK CASE

LIBERTY DELI



High Efficiency
EMBRACO
Compressor



Standard Power
Reliable electrical
integration



Temperature Range
2~8°C



Smart Control
Dixell Digital Controller



Climate Type
25°C 60% RH



Tempered Front Glass
Enhanced product visibility



Energy Efficient
Off-Cycle Defrost System



Tropical Ready
High Temp & Humidity



**TEMPERATURE
RANGE**

2 ~ 8°C

**WIDTH
(mm)**

900 – 1500

**HEIGHT
(mm)**

1175

**DEPTH
(mm)**

800

POWER

220V 60Hz

APPLICATION

Plug-in Semi
Multideck

REFRIGERANT

R290



KAIHUA PLUG IN SQUARE SEMI MULTIDECK

STANDARD MODEL	Liberty Deli A 1 MT 09 E 2 P	Liberty Deli A 1 MT 12 E 2 P	Liberty Deli A 1 MT 15 E 2 P
Type	Plug in Semi Multideck		
Temperature Range (°C)	2~8 (25°C, 60%RH)		
External Dimensions (mm)	900×800×1175	1200×800×1175	1500×800×1175
End Panel	30mm foam end panel with glass		
Effective Volume (L)	151	205	259
Display Area (m²)	1.16	1.44	1.71
Front Height (mm)	633		
Cabinet / Color	Foamed cabinet / Optional		
External Cabinet Material	Galvanized sheet spraying		
Inner Liner Material	Galvanized steel with powder painting		
Inside Shelf			
Front Glass	Tempered glass		
Foot	Height can be adjusted		
Package Size (mm)	960×860×1270	1260×860×1270	1560×860×1270
Compressor	EMBRACO compressor		
Refrigerant	R290		
Refrigerant Volume (g)	120		
Evaporators	Copper Tube with aluminum fins		
Condenser			
Type of Expiration	Capillary		
Temperature Control	Dixell		
Defrost	Off-Cycle Defrost		
Power Supply	220V / 50Hz		
Compressor Power (W)	360	460	670
Condenser Fan (W)	Yongrong 40W×1	Yongrong 40W×1	Yongrong 40W×2
Evaporating Fan	Yongrong 40W×1		
LED Lamp (W)	12W×2	15W×2	18W×2
Anti Sweat (W)	20	20	30
Input Power (W)	490	590	860

NOMENCLATURE

LIBERTY DELI						
A	1	MT	09	E	2	P
DEPTH (mm)	SHELVES	CATEGORY	LENGTH	HEIGHT	REFRIGERANT	MODULE
A = 800	1 2	MT	09 = 900 12 = 1200 15 = 1500	E = 1175	1 = R404 2 = R290	P = Plug in

