

LIBERTY PLUS



PLUG-IN
MULTIDECK CASE

LIBERTY PLUS



High Efficiency
EMBRACO
Compressor



Standard Power
Reliable electrical
integration



Temperature Range
2~8°C



Smart Control
Dixell Digital Controller



Climate Type
25°C 60% RH




Two Storage Areas
Open & Closed Display Zones



Energy Efficient
Off-Cycle Defrost System



Tropical Ready
High Temp & Humidity



TEMPERATURE
RANGE

2 ~ 8°C

WIDTH
(mm)

900 – 1500

HEIGHT
(mm)

1395

DEPTH
(mm)

800

POWER

220V 60Hz

APPLICATION

Plug-in Semi
Multideck

REFRIGERANT

R290



KAIHUA TWO FUNCTION SEMI MULTIDECK CASE

STANDARD MODEL	Liberty Plus A MT 09 L 2 P	Liberty Plus A MT 12 L 2 P	Liberty Plus A MT 15 L 2 P
Type	Plug in Semi Multideck Case		
Temperature Range (°C)	2~8 (25°C, 60%RH)		
External Dimensions (mm)	900×800×1395	1200×800×1395	1500×800×1395
End Panel	30mm thickness foam end panel		
Effective Volume (L)	146	199	251
Display Area (m²)	1.16	1.47	1.78
Front Height (mm)	490		
Cabinet / Color	Foamed cabinet / Optional		
External Cabinet Material	Galvanized steel with powder painting		
Inner Liner Material	Galvanized steel with powder painting		
Inside Shelf	Galvanized steel with powder painting		
Front Glass	Tempered glass		
Foot	Height can be adjusted		
Package Size (mm)	960×860×1585	1260×860×1585	1560×860×1585
Compressor	EMBRACO		
Refrigerant	R290		
Refrigerant Volume (g)	115		
Evaporators	Copper Tube with aluminum fins		
Condenser	Copper Tube with aluminum fins		
Type of Expanation	Capillary		
Temperature Control	Dixell		
Defrost	Off-Cycle Defrost		
Power Supply	220V / 50Hz		
Compressor Power (W)	360	460	670
Condenser Fan (W)	Yongrong 40W×1		Yongrong 40W×2
Evaporating Fan	Yongrong 40W×1		Yongrong 40W×2
LED Lamp (W)	12W×2	15W×2	18W×2
Anti Sweat (W)	20	20	30
Input Power (W)	490	590	900
Defrost Power (W)	N/A		
Description	With two storage area, open and closed, can show different types of merchandise.		

NOMENCLATURE

LIBERTY PLUS					
A	MT	09	L	2	P
DEPTH (mm)	CATEGORY	LENGTH	HEIGHT	REFRIGERANT	MODULE
A = 800	MT	09 = 900 12 = 1200 15 = 1500	L = 1395	1 = R404 2 = R290	P = Plug in

