

DENALI



PLUG-IN MULTIDECK CASE

DENALI



Compressor

Dongper / Qianjiang



Power Supply

110V / 60Hz



Temperature Range

1~10°C



Controller

Electronic controller



Climate Type

ST(5)



Glass Door

LOWE Tempered Glass



Cooling System

Ventilated



LED light

High Temp & Humidity

TEMPERATURE RANGE

1 ~ 10°C

WIDTH (mm)

420 - 575

HEIGHT (mm)

1390-1770

DEPTH (mm)

525

POWER SUPPLY

220V 60Hz

RATED POWER (W)

155 - 175

REFRIGERANT

R600a



Denali

Factory Model	LSC305W
Capacity-NET	285
Display Area	0,55
Temperature	1~10
Climate class	ST(5)
Voltage / Fequency	110V/60HZ
Rated Power	175
power consumption (KW/24H)	1,90
Compressor	Qianjiang UKT91YA
Refrigerant	R600a
Interior Material	Prepainted aluminum
Shell Material	Prepainted steel
Cooling System	ventilated
Evaporator	Fin evaporator
Condenser	steel wire at bottom
Evaporator fan motor	ZYD-2J
Glass door	LOWE tempered glass
LED Light	side LED
Adjustable Thermostat	Electronic controller
Drainage	self evaporation (hot condensation tube)
Shelf	steel wire-4 layer
Net Dimensions	575*525*1770
Packing Dimensions	655*580*1863
Weight Net/Gross	59/65

Nomenclature

DENALI				
L	06	V	3	A
COMPRESSOR	LENGTH	DEPTH (mm)	REFRIGERANT	MODULE
F = Fix L = Inverter	06 = 575	V = 525	3 = R600a	A = Left to Right B = Up and Down





FULLBRITE

Contact Us

(951) 451 1300
7567 NW 70 ST
MIAMI FL 33166
Heral Enterprises LLC

